




LIFEPAK[®] 12

DEFIBRILLATOR/MONITOR

Genuine Accessories from Physio-Control

LIFEPAK 12 DEFIBRILLATOR/MONITOR





Genuine Accessories from Physio-Control

Ensure the safety of your staff and patients. Only Physio-Control accessories and disposables have been thoroughly tested with LIFEPAK products. Stick with the name you trust and the company that stands behind it. To order, contact your Physio-Control representative.

Power Options



REDI-CHARGE Base

Universal Base Charger works with interchangeable trays to charge LIFEPAK 12 and 15 Li-ion batteries. (AC Power Cord, Batteries, and Trays sold separately.)
11141-000115



LIFEPAK 12 REDI-CHARGE® Adapter Tray

Adapter tray for use with LIFEPAK 12 Li-ion batteries and REDI-CHARGE Base. (Batteries and Base sold separately.)
11141-000116



7.2 Rechargeable Li-ion Battery

For use with REDI-CHARGE only
11141-000106

AC Power Cord

11140-000015 (U.S.)
11140-000019 (Europe)
11140-000023 (South Africa)
11140-000045 (Unterminated)
11140-000017 (Australia)
11140-000022 (U.K.)
11140-000045 (Switzerland)

NIBP Monitoring Accessories



Reusable Cuff

X-Large Adult
 45 - 44 cm
11160-000009

Large Adult
 32 - 42 cm
11160-000007

Adult
 26 - 35 cm
11160-000005

Pediatric
 13 - 20 cm
11160-000003

Infant
 8 - 14 cm
11160-000001



Single Patient Use Cuff

X-Large Adult
 45 - 44 cm
11160-000010

Large Adult
 32 - 42 cm
11160-000008

Adult
 26 - 35 cm
11160-000006

Pediatric
 13 - 20 cm
11160-000004

Infant
 8 - 14 cm
11160-000002



NIBP Hose

11996-000033 (9ft)
11996-000089 (12ft)
11996-000125 (2-9ft)

Power Options



Mobile Battery Service Station (MBSS)

DC and AC operation for mobile transport applications, for use with any of the batteries below. Includes AC power cord, mounting bracket, and manual. (Batteries and DC cable not included.)

82100008

12-Volt DC Cable for MBSS Charger

48-82300029



AC Power Adapter, International English

For use with LIFEPAK 12 SLA battery only.

11400-000038 (120-volt)

11400-000044 (230-volt)

Power Adapter Extension Cable

11110-000051



LIFEPAK NiCd Battery

1.6 amp hour capacity, rechargeable nickel-cadmium, with fuel gauge.

11141-000149



LIFEPAK SLA Battery

2.5 amp hour capacity, rechargeable sealed lead-acid.

11141-000028

ECG Monitoring Accessories



**12-Lead ECG Cable Trunk
Cable with 4-Wire Limb Leads**

11111-000018 (5ft AHA)
11111-000019 (5ft IEC)
11111-000020 (8ft AHA)
11111-000021 (8ft IEC)



**12-Lead ECG Cable 6-Wire
Precordial Attachment**

11111-000022 (AHA)
11111-000023 (IEC)



4-wire Cable Comb
21300-008054 (10/pk)

6-wire Cable Comb
21330-008055 (10/pk)



3-Wire ECG Cable

Right-angle connector
11110-000029 (AHA)
11110-000030 (IEC)



5-Wire ECG Cable

Right-angle connector, 4-wire limb plus
1 chest lead, labeled "V1".
11110-000066 (AHA)
11110-000067 (IEC)

Cleartrace[®] ECG Electrodes

Adult (Available in the European Union.)
1700-003 (3/pk)



LIFE-PATCH ECG Electrodes

Adult, pregelled. (Not available in the
European Union.)
11100-000002 (4/pk)
11100-000001 (3/pk)



Strip Chart Recorder Paper

11240-000016 (100mm x 22m 2 rolls/box)
11240-000013 (50mm x 22m 2 rolls/box)

Therapy Delivery Accessories

Hard Paddles and Electrode Gel



Standard Hard Paddles (1 pair)

11130-000001 (English)
11998-000040 (French)
11998-000041 (German)
11998-000042 (Spanish)
11998-000043 (Italian)
11998-000044 (Swedish)
11998-000045 (Danish)
11998-000046 (Portuguese)
11998-000047 (Norwegian)
11998-000048 (Dutch)
11998-000049 (Finnish)
11998-000050 (Polish)
11998-000301 (Japanese)



Pediatric Paddle, External

Slips onto standard adult paddle.
11133-000001 (2 required)



SIGNAGEL® Electrode Gel

For use with hard paddles. Highly conductive, multi-purpose electrolyte meets all the standards of the ideal saline electrode gel.
21300-005847 (8.5 oz/tube)



Internal Paddles (1 pair)

Requires Internal Paddle Handles

1" size

11131-000010 (6.25" shaft)

1.5" size

11131-000011 (6" shaft)

11131-000021 (9" shaft)

11131-000024 (14" shaft)

2" size

11131-000012 (5.75" shaft)

11131-000022 (8.75" shaft)

2.5" size

11131-000013 (5.5" shaft)

11131-000019 (8.5" shaft)

3.5" size

11131-000014 (5" shaft)

11131-000023 (8" shaft)



Internal Paddle Handles with Discharge Control

11131-000001 (1 pair)

Therapy Delivery Accessories

EDGE System[™] Electrodes for Pacing/Defibrillation/ECG with QUIK-COMBO[®] Connector

18 month minimum shelf life unless specified



EDGE System Electrodes with QUIK-COMBO Connector
11996-000091 (24" leadwire length)



EDGE System RTS (Radiotransparent) Electrodes with QUIK-COMBO Connector
11996-000090 (24" leadwire length)



Pediatric EDGE System RTS Electrodes with QUIK-COMBO Connector
For use only with manual monitor/defibrillators; 12 month minimum shelf life at time of shipment.
11996-000093 (24" leadwire length)



EDGE System Electrodes with QUIK-COMBO Connector and REDI-PAK[™] Preconnect System
11996-000017 (42" leadwire length)



QUIK-COMBO Therapy Cable
For use with the LIFEPAK 12 defibrillator/monitor.
11113-000040



FAST-PATCH[®] Adapter Cable
For use with the QUIK-COMBO therapy cable for the LIFEPAK 12 defibrillator/monitor.
11110-000052

Other EDGE System[™] Electrodes for Pacing/Defibrillation/ECG



EDGE System Electrodes with FAST-PATCH Connector
Must be used with QUIK-COMBO to FAST-PATCH Adapter Cable (11110-000052)
11996-000092

SpO₂ Monitoring Accessories

Masimo LNC Reusable Patient Cables



LNCS Patient Cable
11171-000024 (4ft)
11171-000016 (10ft)
11171-000025 (14ft)
11171-000027 (4ft extension)

Masimo LNC Patient Cable Compatible SpO₂ Only Sensors and



LNCS Adhesive Sensor
Single Patient Use. (20/box)
11171-000019 (Ad)
11171-000019 (Ped)
11171-000029 (Neo/Pt)
11171-000028 (Neo/Ad)
11171-000031 (Inf)



LNCS Reusable Sensor
11171-000017 (Ad)
11171-000018 (Ped)



LNCS Reusable Soft Sensor
11171-000052 (Ad)

Masimo Reusable Direct Connect Sensors and Cables



Direct Conect Reusable Soft Sensor
11171-000051 (Ad)

SpO₂ Monitoring Accessories

Masimo[®] LNOP Patient Cables



LNOP Patient Cable

11171-000006 (4ft)

11171-000008 (8ft)

11171-000009 (12ft)

Masimo LNOP Patient Cable Compatible SpO₂ Only Sensors



LNOP Reusable Sensor

11171-000007 (Ad)

11171-000010 (Ped)



LNOP Adhesive Sensor (20/box)

11171-000011 (Ad)

11171-000012 (Ped)



LNOP Adhesive Sensor (20/box)

11171-000014 (Neo/Pt)

11171-000013 (Neo)

11171-000036 (Inf)

Additional Accessories and Adapter Cables



Reusable Ambient Light Shield

11171-000054 (5/pk)



Disposable Ambient Light Shield

11171-000055 (10/pk)



MNC-1 Adapter Cable

Allows LIFEPAK 12 defibrillator/monitor with Masimo SpO₂ to connect to Nellcor sensors.

11996-000183 (10ft)

11996-000198 (4ft)

SpO₂ Sensors and Cables

Nellcor Reusable Sensors



DURASENSOR Reusable Clip
11996-000060 (Ad)

DURA-Y Multisite Reusable Sensor
11996-000106 (> 1 kg)



Oxiband Reusable Sensor

Includes 50 disposable adhesive sensors

11996-000061 (Ad/Neo)

11996-000062 (Ped/Inf)

Disposable Adhesive Bandage Wrap

Not Available in Canada. (100/pack)

11996-000048 (Ad/Neo)

11996-000049 (Ped/Inf)

Disposable Adhesive Foam Wrap

Not Available in Canada. (100/pack)

11996-000110 (Ad/Neo)

11996-000108 (Ped/Inf)

Nellcor Single Patient Use Sensors



Oxisensor II (24/box)

Adult

11996-000113 (18 in)

11996-000114 (36 in)

Pediatric

11996-000116 (18 in)



Oxisensor II (24/box)

Infant

11996-000115 (18 in)

Neonatal/Adult

11996-000117 (18 in)

End-Tidal CO₂ (EtCO₂) Monitoring Accessories

Oridion® Filterlines for Intubated Patients

Single patient use



FilterLine® SET

Key applications: OR, EMS, ED, Rapid Response Teams, Transport.

Adult/Pediatric

11996-000081 (25/pack, 200 cm)

11996-000164 (25/pack, 400 cm)



FilterLine H SET

Key applications: Critical care, Humidified Environments.

Adult/Pediatric

11996-000080 (25/pack, 200 cm)

Adult/Neonatal

11996-000001 (25/pack, 200 cm)

Oridion Non-Intubated Filterlines



Smart CapnoLine® Plus

Key applications: Procedural sedation, Upper GI procedures, MAC, RMS, BD, Rapid Response Teams.

Adult with O₂

11996-000163 (25/pack, 200 cm)

11996-000167 (100/pack, 200 cm)

11996-000165 (25/pack, 400 cm)

Adult without O₂

11996-000162 (25/pack, 200 cm)

11996-000166 (100/pack, 200 cm)



Smart CapnoLine

Key applications: Procedural sedation, SMS, SD, Rapid Response Teams.

Pediatric with O₂

11996-000128 (25/pack, 200 cm)

Pediatric without O₂

11996-000120 (25/pack, 200 cm)

Cases



Basic Carrying Case

Includes shoulder strap, right pouch, left pouch, and front cover.

11260-000030

Carrying Case for use with AC Power Adapter

Includes shoulder strap, right pouch, left pouch and front cover.

11260-000032

Removable Acrylic Screen Shield

Hard acrylic shield for display protection (Cannot be used with front cover.)

11998-000063

Replacement Right Pouch

(Included with basic case.)

21300-007203

Replacement Left Pouch

(Included with basic case.)

21300-007201

Replacement Shoulder Strap

11260-000037

Replacement Front Cover

Soft plastic cover for display and keypads. Cannot be used with Removable Acrylic Screen Shield. (Included with basic case.)

11220-000033

Carrying Case for use with Voice Recorder

Includes shoulder strap, right pouch, left pouch and front cover.

11260-000033

Replacement Carrying Case Base and Side Supports

21300-006361

Therapy Connector Guard

Recommended for protection of the therapy connector on the defibrillator/monitor from direct impacts during use. Permanently attaches to the lower front edge of the defibrillator/monitor.

21330-001112

Therapy Connector Shield

Recommended for protection of the therapy connector, as an alternative to the Therapy Connector Guard. Attaches to the defibrillator/monitor with VELCRO®.

21330-006463



Back Pouch

Ideal for additional accessory storage. (Not recommended for use with SLA batteries.)

11260-000029



Top Pouch

Storage for sensors and electrodes; insert in place of standard paddles.

11220-000028

Communication Accessories & Mounting Options



LIFEPAK Monitor to PC Cable

For connecting LIFEPAK 12 or LIFEPAK 15 monitor/defibrillator to PC.

11230-000020 (Serial)

11996-000369 (USB)

LIFEPAK Configuration Transfer Cable

11110-000183



3G Gateway

For transmitting data from LIFEPAK 12/15 to the LIFENET[®] System or CODE-STAT[™] data review software. Requires data plan.

21996-000086 (Verizon Gateway)

99428-000305 (Verizon Data Plan)

21996-000082 (AT&T Gateway)

99428-000304 (AT&T Data Plan)



Titan II Wireless Gateway

For transmitting data from LIFEPAK 12/15 to the LIFENET System or CODE-STAT data review software. Requires existing wireless network.

11996-000373

11996-000375 (with voice recording)

Mounting Options and Roll Stand



LIFESTAND[™] Mobile Roll Stand for the LIFEPAK 12 Defibrillator/Monitor

11996-000157



Surface Mount Bracket

Designed to securely mount the LIFEPAK 12 defibrillator/monitor in an ambulance. Bracket is lightweight and suitable for use in aircraft.

11996-000309

Mounting Bracket

Right or left swivel mounting bracket for LIFEPAK 12 defibrillator/monitor. (Available in Europe.)

82300037

Testers & Training Materials



Patient Simulator (QUIK-COMBO)

Connects directly to your LIFEPAK defibrillator for safe simulation of cardioversion and electrical capture. Generates fibrillation, tachycardias, and bradycardias, as well as ST segment and T wave abnormalities.

11996-000311 (12-Lead)

11996-000310 (3-Lead)

Inservice Video

26500-002186 (English - NTSC DVD)

Service Manual

21500-006152 (CD Rom)

Operating Instructions

26500-002481 (English)

26500-002482 (Intl English)

26500-002483 (German)

26500-002484 (Italian)

26500-002485 (French)

26500-002486 (Dutch)

26500-002487 (Spanish)

26500-002495 (Portuguese)

26500-002496 (Swedish)

26500-002488 (Danish)

26500-002492 (Finnish)

26500-002494 (Norwegian)

26500-002489 (Polish)

26500-003413 (Japanese)



Reusable Training Electrodes

For use with QUIK-COMBO patient simulators. Allows users to practice defibrillation electrode placement.

11250-000052 (5/pair)

11101-000003 (Replacement 5/pair)



Defibrillator Checker

Tests integrity of energy delivery through standard hard paddles. Neon light indicates energy has been delivered.

11998-000060



Test Load

Use to perform therapy cable performance checks. Connects to the QUIK-COMBO therapy cable on the defibrillator.

21330-001365 (English only)

21330-001366 (English, Swedish, Danish, Finnish, Norwegian)

21330-001367 (English, German, Italian, French, Dutch, Spanish)

21330-001368 (English, Spanish, Portuguese, Polish, Hungarian)

21330-001369 (English, Chinese, Korean, Japanese)

For further information please contact your local Physio-Control representative or visit our website at www.physio-control.com.



Physio-Control Headquarters
Redmond, WA 98052 USA
Tel 425 867 4000
Fax 425 867 4121
www.physio-control.com

**Physio-Control Operations
Netherlands B.V.**
Keizersgracht 125-127,
1015 CJ Amsterdam, NL
www.physio-control.nl
Tel +31 (0)20 7070560
Fax +31 (0)20 3301194

**Physio-Control
UK Sales Ltd**
Concorde House
Trinity Park, Solihull
Birmingham
B37 7UQ
United Kingdom
Tel (0)44 1923 212 213
Fax (0)44 1923 241 004

**Physio-Control
Australia Pty Ltd**
Suite 4.01
15 Orion Road
Lane Cove
NSW 2066
Australia
Toll Free Tel 1800 987 982
Toll Free Fax 1800 890 892